



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
1 / 10

Edition
01

Date of issue
29.08.2016

Update
-

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier:

Trade name: **WILDBERRIES** (relates to a series of products: WOOD, NUVO, CONCEPT, EXCELLENT, ORGANIC)

1.2. Relevant identified uses of the substance or mixture and uses advised against:

1.2.1. Relevant identified uses

Fragrance composition, air refresher

1.2.2. Uses advised against

No data

1.3. Details of the supplier of the safety data sheet:

Opal Products Limited
Unit 6 Swannington Road
Cottage Lane Industrial Estate
Broughton Astley
Leicester
LE9 6TU
e-mail: enquires@opalproducts.co.uk

1.4. Emergency telephone number:

+48 42 631 47 25 – National Poisons Information Centre, Łódź, Poland

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture:

According to the Regulation (WE) no 1272/2008

Flam. Liq. 3 – Flammable liquids, Hazard Category 3 with assigned phrase H stating the type of hazard:
H226 Flammable liquid and vapour

STOT SE 3 – Specific target organ toxicity after single exposure, Hazard Category 3, narcosis with assigned phrase H stating the type of hazard
H336 May cause drowsiness or dizziness

Aquatic Chronic 3 – Hazardous to the aquatic environment, CHRONIC, Hazard Category 3 with assigned phrase H stating the type of hazard:
H412 Harmful to aquatic life with long lasting effects

Health hazard: potentially skin sensitizing, potentially irritating to skin and eyes, vapours may cause drowsiness and dizziness

Environmental Hazards: product classified as hazardous to environment, harmful to aquatic life with long lasting effects

Physical/chemical hazards: product contains flammable components, vapours form flammable mixtures with air, sustain combustibility



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
2 / 10

Edition
01

Date of issue
29.08.2016

Update
-

2.2. Label elements

According to the Regulation (WE) 1272/2008

Pictograms:



Signal Word: Warning

Hazard statements:

H226 Flammable liquid and vapour

H336 May cause drowsiness or dizziness

H412 Harmful to aquatic life with long lasting effects

EUH208 Contains: benzyl salicylate, 4-hydroxy-2,5-dimethylfuran-2(3H)-one, 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one. May produce an allergic reaction.

Precautionary Statement:

P102 Keep out of reach of children

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P264 Wash hands thoroughly after handling

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention

Hazardous Ingredients: 1-metoxypropan-2-ol

2.3. Other hazards:

The mixture doesn't meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

The mixture doesn't contain SVHC substances above 0,1 % w/w.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

The product is a mixture. Content: solvents, fragrance composition

The classification of hazardous substances contained in the product is given in Table 3.1 of Annex VI to the Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 including its amends, REACH data, the manufacturer and available literature data.

No CAS	No WE	Index number	REACH registration number	Chemical name	Quantity	Hazard category	H phrases
107-98-2	203-539-1	603-064-00-3	01-2119457435-35-xxxx	1-metoxypropan-2-ol*	≤ 30 % w/w	Flam. Liq. 3, STOT SE 3	H226, 336
34590-94-8	252-104-2	not assigned	01-2119450011-60-xxxx	(2-metoxymetyloetoxi)-propanol*	≤ 30 % w/w	-	-
88-41-5	201-828-7	not assigned	no data	2-tert-butylcyclohexyl acetate	< 5 % w/w	Aquatic Chronic 2	H411



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
3 / 10

Edition
01

Date of issue
29.08.2016

Update
-

140-11-4	205-399-7	not assigned	01-2119638272-42-xxxx	benzyl acetate	< 5 % w/w	Aquatic Chronic 3	H412
78-70-6	201-134-4	not assigned	01-2119474016-42-xxxx	linalool	< 3 % w/w	Skin Irrit. 2, Eye Irrit. 2	H315, 319
8000-41-7	232-268-1	not assigned	01-2119553062-49-xxxx	terpineol	< 3 % w/w	Skin Irrit. 2, Eye Irrit. 2	H315, 319
-	904-698-9	not assigned	01-2119977127-29-xxxx	reaction mass of 1-methyl-4-(1-methylethylidene)cyclohexyl acetate and p-menth-1-en-8-yl acetate	< 2 % w/w	Aquatic Chronic 2	H411
81782-77-6	279-815-0	not assigned	01-2119983528-21-xxxx	4-methyl-3-decen-5-ol	< 0,5 % w/w	Aquatic Acute 1	H400
118-58-1	204-262-9	not assigned	01-2119969442-31-xxxx	benzyl salicylate	< 0,5 % w/w	Eye Irrit. 2, Skin Sens. 1B, Aquatic Chronic 3	H317, 319, 412
3658-77-3	222-908-8	not assigned	no data	4-hydroxy-2,5-dimethylfuran-2(3H)-one	< 0,1 % w/w	Eye Irrit. 2, Skin Sens. 1A	H317, 319
23696-85-7	245-833-2	not assigned	no data	1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	< 0,1 % w/w	Skin Sens. 1A, Aquatic Chronic 2	H317, 411
1589-47-5	216-455-5	603-106-00-0	no data	2-metoxypropan-1-ol	< 0,1 % w/w	Flam. Liq. 3, Repr. 1B, STOT SE 3, Skin Irrit. 2, Eye Dam. 1	H226, 360D, 335, 315, 318

M-factor for environment hazardous substance (CAS no 81782-77-6)
Acute hazard: M = 1

* Substance for which there are Community workplace exposure limits

For the wording of the listed H phrases and hazard category refer to section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General recommendations

In the event of health problems, immediately contact doctor. Show MSDS of product.
Never give anything by mouth to an unconscious person.

Protection of first aid responders

Do not take any action that would create a risk to the rescuer unless suitable training.

Contamination of the skin: Remove contaminated clothing. Contaminated areas of the skin wash thoroughly water with soap. In the case of persistent irritation consult a doctor.

Contamination of the eye: Flush contaminated eyes with wide-open eyelids a continuous stream of water for about 15 minutes. Remove contact lenses, if present and easy to do. In the case of persistent irritation consult an ophthalmologist.

Inhalation: Remove victim from exposure, provide fresh air. Place victim in a reclining position. If breathing is difficult, give oxygen, in the absence of breath use artificial respiration. Seek medical advice immediately.

Ingestion: Rinse mouth thoroughly with water. Do not induce vomiting. Give to drink a glass of water. Contact with doctor immediately and show product label.



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
4 / 10

Edition
01

Date of issue
29.08.2016

Update
-

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms – product can cause irritation of skin and eyes

Delayed symptoms – prolonged or repeated contact with product may cause allergic skin reaction

Effects of exposure – contact with the vapours of product may cause drowsiness and dizziness

4.3. Indication of any immediate medical attention and special treatment needed

Note to Physician: No specific antidote, treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing agents: CO₂, powders and foam alcohol resistant, water spray

Small fire extinguished with carbon dioxide (CO₂) or powder (ABC or BC), a large fire - use foam or water currents eventually dispersed. Precipitated mixture of fumes by dispersed water jets.

Extinguishing media which must not be used for safety reasons: a strong jet of water – the risk of fire spreading and environment contamination

5.2. Special hazards arising from the substance or mixture

The combustion of the product may produce carbon oxides and other toxic gases. Avoid inhalation of combustion products, may pose a threat to health.

5.3. Advice for fire-fighters: strictly apply the breathing apparatus and protective clothing for fire fighting or during clean-up work immediately after a fire in an enclosed or poorly ventilated areas.

General: inform about the fire, call the appropriate emergency services. Remove from the endangered area unauthorized persons, not involved in extinguishing the fire, order evacuation if necessary.

Additional notes: vapours of product form flammable/explosive mixtures with air. Vapours are heavier than air, accumulate at the surface of the earth and lower parts of the rooms. Tanks and packaging which are not covered by the fire, exposed to fire or high temperature should be cooled by water from a safe distance (risk of explosion), and if possible removed from the hazardous area. Fire residues and contaminated waters dispose in according to applicable regulations. Do not introduce contaminated waters into drains.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with releasing product. Avoid contact with skin and eyes. Avoid breathing vapours.

Use personal protective equipment, especially respiratory protection in case of vapour/fumes/aerosols of product. Inform about the accident, call the appropriate emergency services (e.g. Fire Brigade, Police). Remove from the hazardous area all persons not taking part in the emergency, order evacuation if necessary. Remove sources of ignition, announce prohibition of smoking and using sparking tools. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter drains, groundwater, soil and open water courses. Spilled product protect against spreading using dams or barriers. In case of water contamination inform local authorities.

6.3. Methods and material for containment and cleaning up

In case of container leakage, spillage of the product, protect the source of leak, pour the product into an empty container or place damaged container in an emergency one. Remove all possible sources of ignition in the zone of danger. Small amounts of spilled product soak up with non-flammable, absorbent material (sand, diatomite, universal binders, etc.) gather in closed container for disposal and utilized. Perform clean up work with adequate ventilation. Contaminated surface rinse with water with detergent.



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
5 / 10

Edition
01

Date of issue
29.08.2016

Update
-

6.4. Reference to other sections

Personal protective equipment – section 8

Waste disposal – section 13

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with liquid, avoid vapour inhalation. Ensure adequate ventilation /exhaust in the workplace, prevent the formation of harmful concentrations of vapour in the air, work in well ventilated areas. Observe good personal hygiene and wear protective clothing in accordance with information set out in section 8.

Special measures for protection against fire and explosion: Prevent formation of flammable /explosive concentrations of vapour in the air, eliminate sources of ignition - don't use open flames, don't smoke.

Industrial hygiene

- ensure good ventilation (overall and local exhausted ventilation),
- ensure place for eyes and skin rinsing,
- wash hands with soap and water before eating, smoking and after work,
- use general caution while working with chemical substances.

7.2. Conditions for safe storage, including any incompatibilities

Store only in properly labelled, sealed containers in a well ventilated warehouse.

Protect against heat, contact with potential sources of ignition, direct sunlight.

At the warehouse not smoke, eat, use open flame and sparking tools.

7.3. Specific end use(s)

Fragrance composition

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational Exposure Limit Value (Poland):

Hazardous Ingredients	No CAS	LTET, mg/m ³	STEL, mg/m ³
1-metoxypropan-2-ol	107-98-2	180	360
(2-metoxymetyloetoxo)propanol	34590-94-8	240	480

8.2. Exposure controls

Technical exposure controls:

Use engineering controls to reduce air contamination to permissible exposure level.

Explosion-proof general and local exhaust ventilation.

Personal protection:

8.2.1. Professional users (production, transport, storage):

a) Respiratory protection – is not necessary under normal conditions with sufficient ventilation, required during exposure to high concentrations of vapours. Wear mask or respirator completed with the filter type A

b) Hand protection – required protective gloves in case of prolonged or frequently repeated exposure to the product. Wear protective gloves made of: butyl rubber, neoprene, nitrile rubber, polyvinylchloride, thickness min. 0,4 – 0,7mm. The Breakthrough Time > 480 min. Material of gloves must be resistant to the product. As the product is a mixture of several substances, the resistance of material of gloves can not be calculated in advance and therefore has to be checked before use. From the manufacturer's advice should be obtained information about the time of the penetration of substances and such time must be respected. The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. It is recommended to change gloves and replace them immediately if you notice any signs of wear, damage (rupture, perforation) or changes in appearance (color, flexibility, shape).



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
6 / 10

Edition
01

Date of issue
29.08.2016

Update
-

- c) **Eye protection** – required protective glasses or full face protection
d) **Skin protection** – recommended protective clothing

8.2.2. Consumer user (use of handling packaging):

There aren't required special protection, it's recommended to wash hands after contact with product before eating or smoking

Environmental exposure controls:

Do not allow to enter large amounts of product into ground water, sewage, waste water or soil.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Form:	liquid
Odour:	characteristic
Odour threshold:	no data
pH:	no data
Melting point/freezing point:	no data
Initial boiling point and boiling range:	no data
Flash point:	> 35°C
Evaporation rate:	no data
Flammability:	product contains flammable components, sustain combustibility
Upper/lower flammability or explosive limits:	no data
Vapour pressure:	no data
Vapour density:	no data
Density:	no data
Solubility in water:	no data
Solubility in other solvents:	no data
Partition coefficient: n-octanol/water:	no data
Auto-ignition temperature:	no data
Decomposition temperature:	no data
Viscosity:	no data
Explosive properties:	no data
Oxidising properties:	no data

9.2. Other information no data

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data

10.2. Chemical stability

Stable under normal conditions (see Section 7 - storage conditions)

10.3. Possibility of hazardous reactions

No data

10.4 Conditions to avoid

Open flame, other ignition sources.

10.5. Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
7 / 10

Edition
01

Date of issue
29.08.2016

Update
-

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

Acute toxicity:

Acute Oral Toxicity: No data available for product

Acute Dermal Toxicity: No data available for product

Acute Inhalation Toxicity: No data available for product

ATE value (estimated) after swallowing > 2000 mg/kg – product isn't classified as acute toxicity (swallowing) hazardous acc. to Regulation (EC) No 1272/2008

ATE value (estimated) after skin contact > 2000 mg/kg – product isn't classified as acute toxicity (skin contact) hazardous acc. to Regulation (EC) No 1272/2008

ATE value (estimated) after inhalation > 20 mg/dm³/4h (vapours) – product isn't classified as acute toxicity (inhaled) hazardous acc. to Regulation (EC) No 1272/2008

Skin corrosion/irritation: product doesn't fulfil classification criteria

Serious eye damage/irritation: product doesn't fulfil classification criteria

Respiratory or skin sensitisation: product isn't classified as skin sensitizing. It contains allergens: benzyl salicylate, 4-hydroxy-2,5-dimethylfuran-2(3H)-one, 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one

Germ cell mutagenicity: no data available. Hazardous ingredients of the product aren't mentioned on the list of mutagenic substances

Carcinogenicity: no data available. Hazardous ingredients of the product aren't mentioned on the list of carcinogenic substances.

Reproductive toxicity: No data available. Product contains hazardous ingredient 2-methoxypropanol, which is mentioned on the list of reproductive toxicity substances, at content below classification level.

STOT-single exposure: product classified as hazardous – narcosis, hazard category 3. Vapours may cause drowsiness and dizziness

STOT-repeated exposure: product doesn't fulfil classification criteria

Aspiration hazard: not classified as hazardous

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity: no data for product

12.2. Persistence and degradability: no data for product

12.3. Bioaccumulative potential: no data for product

12.4. Mobility in soil: no data for product

12.5. Results of PBT and vPvB assessment: ingredients of product don't meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

12.6. Other adverse effects:

Product classified as harmful to the aquatic environment, may cause long-term adverse effects in the aquatic environment. In trade form product poses high risk to the environment.

Take all care that the product has not penetrated into the soil, drinking water sources, water tanks etc.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods:

Dispose of waste in accordance with all Federal, State and Local regulations.

Waste of product: communicate with the manufacturer of the product on the possibility of processing waste. If it's not possible, deliver it to utilization in plants permitted to waste collection, transport, waste recovery and disposal. Do not empty into drains. Recovery or disposal of waste product should be made in accordance with applicable regulations.



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
8 / 10

Edition
01

Date of issue
29.08.2016

Update
-

Disposing of the packaging: it is prohibited to burn them on the ground. Act like with waste of product.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number:	1266
14.2. UN proper shipping name:	PERFUMERY PRODUCTS with flammable solvents
14.3. Transport hazard class:	3
14.4. Packing group:	III
14.5. Environmental hazards:	no
14.6. Special precautions for user:	see section 7.1.
Overland transport ADR	
Classification code:	F1
Warning label:	3
Code of movement restriction through underpass:	D/E
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code:	no data



SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council from 18.12.2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- Commission Regulation (EC) No 790/2009 of 10 August 2009 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 286/2011 of 10 March 2011 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 618/2012 of 10 July 2012 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 487/2013 of 8 May 2013 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 944/2013 of 2 October 2013 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- Commission Regulation (EU) No 605/2014 of 5 June 2014 amending, for the purposes of introducing hazard and precautionary statements in the Croatian language and its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures
- European agreement concerning international road transport of dangerous products (ADR)
Federal, State and Local regulations.

15.2. Chemical safety assessment

Chemical safety assessment was not made for the product



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending Regulation (EC) No 1907/2006 (REACH)

Page
9 / 10

Edition
01

Date of issue
29.08.2016

Update
-

SECTION 16. OTHER INFORMATION

Explanation of symbols and phrases referring hazardous substances contained in product:

Flam. Liq. 3 Flammable liquids, Hazard Category 3
Skin Irrit. 2 Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1 Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2 Serious eye damage/eye irritation, Hazard Category 2
Skin Sens. 1 Skin Sensitizing, Hazard Category 1
Repr. 1B Reproductive toxicity, Hazard Category 1B
STOT SE 3 Specific target organ toxicity – Single exposure, Hazard Category 3
Aquatic Acute 1 Hazardous to the aquatic environment – Acute, Hazard Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic, Hazard Category 2
Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic, Hazard Category 3

H226 Flammable liquid and vapour
H304 May be fatal if swallowed and enters airways
H315 Causes skin irritation
H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H319 Causes serious eye irritation
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H360D May damage the unborn child
H400 Very toxic to aquatic life
H411 Toxic to aquatic life with long lasting effects
H412 Harmful to aquatic life with long lasting effects

Explanation of abbreviations and acronyms used in the MSDS:

CAS – Chemical Abstracts Service
WE – the number assigned to chemicals in the European Inventory of Existing Commercial Chemical Substances or European List of Notified Chemical Substances, or in the list of chemicals listed in the publication of "No-longer polymers"
STEL – short term exposure limits maximum of a substance harmful to health in the workplace
LTEL – long term exposure limits maximum of a substance harmful to health in the workplace
PBT – persistence, bioaccumulation potential and toxicity
vPvB – very high durability and very bioaccumulative
UN number – identification number of the material (the number of UN, UN number)
ADR – European Agreement concerning the international carriage of dangerous goods by road

MSDS was prepared in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Classification of product was made based on physical-chemical properties and content of hazardous components, according to the Regulation (EC) No 1272/2008.

Training: persons, who work with this product, should be trained respecting to properties and way of use this product. Use appropriately according to producer data.

Source of data: this MSDS was prepared based on MSDS of ingredients, data of product, our knowledge and experience according to actual legislation.

ECHA European Chemicals Agency
Botanic, Cosmetic, Flavor and Fragrance Ingredient Information



MATERIAL SAFETY DATA SHEET

prepared in accordance with Commission Regulation (EU) 2015/830 amending
Regulation (EC) No 1907/2006 (REACH)

Page
10 / 10

Edition
01

Date of issue
29.08.2016

Update
-

Recommendation and restriction of use: Use according to label. Additional safety information available at producer.

Disclaimer: information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. End user is responsible for inappropriate use of information enclosed in MSDS or inappropriate use of product.